



Unit #:  
XX-XXXX

DEALER: XYZ Dealer  
 CUSTOMER: XYZ Emergency Ambulance  
 Street or P.O. Box \_\_\_\_\_  
 City, State, Zip \_\_\_\_\_  
 Customer Contact: \_\_\_\_\_  
 Sales Associate: \_\_\_\_\_  
 Sales Engineer: \_\_\_\_\_  
 VIN#: To be assigned by MEDIX

Chassis Model Yr		<b>2022</b>
MEDIX Model		<b>Metro Express 150 Type III</b>
CHASSIS		<b>Ford E-350 XL Cutaway, 7.3 L V-8 Gas, 138" WB, 11,500 GVWR</b>
BODY		<b>150"L x 94" W x 72" Interior Headroom</b>
QTY	STD/OPT	Description
<b>1</b>	<b>16-3000-FG</b>	<b>Chassis &amp; Conversion</b>
	<b>01-</b>	<b>Flooring &amp; Interior Colors</b>
1	STD	Cabinets: Laminated Wood- (Specify Color) Color:
1	STD	Upholstery: (Specify Color) Color: Brand: <b>EVS</b>
1	STD	Flooring: Lonseal - Lonfloor Moonstone #507
	<b>02-</b>	<b>Body &amp; Chassis</b>
1	STD	All Exterior compartments coated with a light gray rubberized urethan material.
1	STD	<b>Anti-Theft Device: IdleLock Ignition Security System, PN: B-IDLE506-A for Ford E Series Chassis Only. Locate activation button to the right side of the steering wheel.</b>
1	STD	Walk-Thru w/Sliding Door. Slides behind driver's seat
1	STD	Fender Flares: Black Rubber
1	STD	Compartment Lights: Optronics ILL36CB LED Compartment lights- ALL Models
		Locate: (1) Ceiling of Compt #1; (2) in Compt #2- (1) URH, (1) LLH; (1) in ceiling of Compartment #3; (2) in Compt #4/5; (1) in Compt #6.
1	STD	Compartment #1 SS Forward: <u>Smooth Aluminum</u> body, <u>ADP interior door panel</u> , O2 "M" cylinder storage for STEEL tank, Door w/rubber socket/nylon ball hold-open.
1	STD	Compartment #2 SS Center: <u>Smooth Aluminum</u> body, <u>ADP interior door panel</u> , Open Storage, Door w/gas strut hold-open and Seat Belt Strap.
1	STD	Compartment #3 SS Rear: <u>Smooth Aluminum</u> body, <u>ADP interior door panel</u> , Mid-height open storage. Door w/gas strut hold-open.
2	STD	Rear Entry Doors: Single piece laminated smooth aluminum door liner w/stainless steel center panel for black paddle handles; ADP kick panels.

1	STD	Compartment #4/5 CS Forward: NO body <u>above floor</u> , <u>ADP interior door panel</u> , ALS Cabinet w/ Inside/Outside access, Full-height, single Door w/gas strut hold-open. Bottom section smooth aluminum body w/roll-out battery tray w/removable, latching door.
1	STD	Curbside Entry Door: Single piece, laminated smooth aluminum door liner w/stainless steel center panel for black paddle handles; ADP kick panels. Gas strut door hold-open. Smooth aluminum stepwell w/Dri-Dek insert.
1	STD	Compartment #6 CS Rear: <u>Smooth Aluminum</u> , Vertical backboard storage w/2 belts. Door w/ rubber socket/nylon ball hold-open.
1	STD	All Entry Door paddle handle and rotary latching components will include emergency door releases located top and bottom of each door and shall meet the FMVSS 206 30G Test Requirement
1	STD	Rear Bumper: ADP corner pods w/ rubber Dock bumper pads, Center grip-strut flip-up step, powder coated steel frame
2	STD	IV Hangers: (2) Cast black rubber fold-down over knee area of Cot and Squad Bench
3	STD	Mirrors, OEM: (1) each cab door, (1) on interior windshield
1	<b>STD</b>	<b>Stainless steel wheel covers w/valve extenders</b>
4	STD	Stone Guards, lower body corners, ADP
1	STD	Rub Rails, C-Channel, tapered ends, Lower Body off-set mount with neoprene spacers.
2	STD	Running Boards, formed ADP with front splash guards
1	STD	Cast aluminum fuel fill bezel
1	<b>STD</b>	<b>Insulation: Pink, double sided radiant barrier/acoustic material, installed on curbside and streetside rear wheel wells.</b>
1	<b>STD</b>	<b>Insulation: Spray in place foam, FR 2-Part Spray Foam, CP-1000 Kit 200, applied to curbside entry step well and both rear wheel wells</b>
1	STD	Undercoating: Per QVM Guidelines
	<b>03-</b>	<b>Brake, Turn &amp; Back-Up Lights</b>
1	STD	<b>Lights: DOT, Brake/Tail, Turn, Back Up: Whelen 600 Series LED. (Package PNs: 60BTTC, 60A00TAR, 60C00VCR) ILOS</b>
1	STD	DOT Marker Lights: TecNiq LED, rubber grommet bezels; (7) S34-AC09-1 Amber- (5) on front of body as Marker lights, (2) side facing on rear extrusions as Turn Signals; (7) S34-RC90-1 Red- (5) on rear of Body as Marker lights, (2) side facing as Turn Signals.
	<b>04-</b>	<b>Electrical, Power Distribution, Control Center &amp; Interior Lighting</b>
1	STD	Battery Switch, Automatic: TST CDR-400. Located in Electrical Cabinet.
2	STD	<b>Batteries:</b> OEM, 750 C.C.A.
2	STD	Antenna, Radio Coax Cable terminated behind driver's seat w/Power & Ground for each
8	STD	<b>Lights: Dome, Whelen LED, 18-diodes w/chrome flange MX80EHZA , switched separately with Hi/Lo functions.</b>

1	STD	(1) Camera System: RVS Systems RVS-MV3619N-NM-02- Includes (1) 7" rear view mirror monitor, (1) flush mount back-up camera and (1) 33' camera cable. Locate: (1) Camera mounted off lower RH corner of center rear Amber light; Monitor mounted on cab windshield rear view mirror.
1	STD	Action Area Light: Whelen PSC0ADCR, 12 VDC LED Strip light, 6 diodes and On/Off switch on rear control panel
1	STD	USB Port: Vanner VSS-USB dual port 2Amp mounted on A/A wall
1	STD	Shoreline: 125 VAC, 20-Amp, 60 Hz straight-blade inlet w/hinged, weatherproof cover, located to rear of Compartment #1
1	STD	Inverter: Pre-Wire w/switch on rear panel. Pre-wire located in lower pass-thru cabinet
1	STD	Battery Conditioner, Power Source, 45-Amp- Lower WT cabinet
1	STD	Breaker Box: 125 VAC w/20-Amp Breaker located behind the driver's seat base. GFI receptacle located on the Action Area wall.
1	STD	Timer: 5-minute check-out, wired to CS High mode dome lights
2	STD	12 VDC Outlets: (1) in Action Area, (1) in ALS Cabinet
2	STD	125 VAC Outlets, Duplex: (1) in Action Area, (1) in ALS Cabinet
1	STD	Rear Switch Panel: Engraved black plastic panel with (14) LED lighted switch positions for Dome Lights (2), Vacuum (1), Vent (1), A.A. Light (1), Inverter (1), <u>Spare switches and digital clock w/Mode Buttons. MX01517.</u>
1	STD	Front Console: CNC cut, formed, welded and powder coated aluminum attached to floor. PNs: 44-A1-1907 / 44-A1-2339 Switch and siren panels removable for ease of access.
1	STD	Electrical Cabinet: Located over walk-thru w/latching, recessed, vented door
<b>05- Warning Lights &amp; Siren</b>		
1	STD	<b>Lights: Warning, Whelen LED EMERGENCY Lighting Package-Ford, Chevy Type I and Type III- Models ONLY.</b> <b>NOTE: Does not include LED Scene Lights.</b>
		<b>All LED lights shall have CLEAR Lenses. All emergency and scene lighting shall have chrome flanges in standard locations.</b>
		<b>Front of Body: Add (7) Whelen 900 Series Suprer-LEDs- Specify pattern by LED Color (Red or White:</b> <b>_____ Outer (2) lights and (1) Center light flash on K-Spec flasher. Inner (4) flash independently on Light Bar switch on front console.</b>
		<b>Sides of Body: (4) Whelen 900 Series Red Super-LEDs: (2) each side in upper corners</b>
		<b>Rear of Body: (4) Whelen 900 Series Red Super-LEDs: (2) in upper outboard corners, (2) Mid-Body wired as Warning/Brake at the window level; (1) Whelen 900 Series Amber Super-LED in the center position over the rear doors.</b>
		<b>Brake, Turn &amp; Back-Up Lights: Whelen 600 Series LEDs</b>
		<b>Lights, Warning, Intersection Lights: (2) Whelen 700 Red Series Super-LEDs on front fenders</b>
2	STD	Lights, Warning, Grille: LINZ6R Red LED w/clear lenses & chrome flanges on center grille bar
4	STD	<b>Lights: Scene, Whelen 900 Series Halogen with chrome flange included - (2) Each Side of Module</b>

2	STD	<b>Lights, Load: Whelen 900 Series Halogen with chrome flange, (2) on rear</b>
1	STD	Flasher- For Warning Light System, Vanner 9860GCPE
2	STD	Siren Speakers: Dual 100-watt drivers mounted through front bumper
1	STD	Siren- Whelen 295 SLA1, 200 Watt
	<b>06-</b>	<b>Oxygen, Vacuum &amp; Miscellaneous Items</b>
3	STD	Oxygen Outlets: Quick-connect style, (2) in Action Area, (1) over Squad Bench
1	STD	Suction Aspirator System: Rico disposable container, mounted in Action Area w/gauge and quick-connect; SSCOR vacuum pump mounted in lower pass-thru cabinet
1	STD	Oxygen Cylinder Retention: For "M" cylinder, black steel w/3-spring buckle straps and top collar, located in Compartment #1
1	STD	O2 Regulator, Amvex, 50psi, pre-set
	<b>07-</b>	<b>AC/Heat</b>
1	STD	<b>HVAC System: High capacity ProAir, brushless free blow combination Heat-AC system with digital thermostat control on the action area wall. HVAC unit is mounted in bulkhead at the top of the ALS.</b>
	<b>08-</b>	<b>Cabinets, Hardware &amp; Miscellaneous Items</b>
1	STD	Main Streetside Wall Cabinets: Specify desired configuration-
0	STD	<b>Full Wall of Cabinets</b>
0	OPT	<b>Streetside Cabinet Configuration shall include a CPR Seat with Pro-4 seat belt system. The seat belt system shall include a custom contoured seat back, a single click Pro-4 seat belt, custom pads on the upper straps for shoulder comfort and a heat embossed Medix LOGO at the heat area. There shall be a 2nd Action Area, which includes (1) 125VAC and (1) 12VDC outlet, located aft of the CPR seating area.</b>
		Main Wall Cabinets will have (1) adjustable shelf in each and sliding polycarbonate doors with full height extruded handles. See Prints for Configuration. Stainless steel kick panel along lower main wall.
1	STD	Action Area Overhead Cabinet: Single cabinet full-height/full-depth of Action Area with sliding polycarbonate doors and full height extruded handles.
1	STD	Action Area and Switch Panel: Laminated, sealed countertop and vertical panel with Suction system collection canister, Vacuum gauge, (2) Oxygen outlets, (1) USB, (1) 12VDC Outlet, (1) 125VAC Outlet and digital Thermostat. Switch panel MX01517 includes (10) switch positions and digital clock w/Mode Buttons.
2	STD	Bulkhead Wall Cabinets: Electrical Cabinet above walk-thru w/hinged, latching, vented door.
2	STD	Bulkhead Cabinets: Upper cabinet- general storage w/hinged, latching door; Lower cabinet- general storage w/hinged, latching, vented door and location for inverter and vacuum pump on floor
1	STD	ALS Cabinet: Lower section- Locking storage for 747 box; Middle Section- general storage with hinged, non-locking doors and 1-adjustable shelf
1	STD	<b>Squad Bench:</b>

	1	Full length hinged lid w/TriMark latch for access to interior storage
	2	Full length upholstered seat cushion except over Sharps/Waste Area; formed upholstered back rest cushions and head pad for each seated position.
	3	2) EVS Pro-4 seat belt system seating positions. The seat belt positions shall include a custom contoured seat back, a single click Pro-4 seat belt, custom pads on the upper straps for shoulder comfort, a custom retractor for securing a secondary patient and a heat embossed Medix LOGO at the heat area.
	4	Backer plate included in squad bench assembly at head end
1	STD	Sharps/Waste: Drop-in style with aluminum, powder coated red, hinged lid and standard containers, located at head of squad bench.
1	STD	Technician's Seat: An EVS Rear facing custom contoured, automotive style, high back seat with the Pro-4 seat belt system mounted on an EVS structural steel base. The seat belt system shall include a custom automotive style seat, a single click Pro-4 seat belt, custom pads on the upper straps for shoulder comfort and a heat embossed Medix LOGO at the head area.
1	STD	Assist Rail, overhead off-center toward Streetside of unit.
3	STD	Grab handle- stainless steel, mounted on each rear entry and curbside entry door
8	STD	Reflective Striping, Door Open Protection: .50" Red reflective striping around interior door pan of all body doors.
	<b>09-</b>	<b>Cots &amp; Miscellaneous Items</b>
	<b>0</b>	<b>STD Cot Mount: NOTE - Must supply cot mount requirements with order.</b>
	<b>10-</b>	<b>Paint &amp; lettering</b>
1	STD	Paint: Body all OEM White
	<b>0</b>	<b>1000100 Roof Star ONLY, INSTALLED</b>
		<b>SHIP LOOSE</b>
2	STD	5 lb. Fire Extinguisher- Ship Loose

**TOTAL ORDER**

I have reviewed this Order and find it to be acceptable and ready to build.

\_\_\_\_\_ **Date:** \_\_\_\_\_  
 Dealer Signature

I have reviewed this Order and find it to be acceptable and ready to build with the addition of the attached, approved changes.

\_\_\_\_\_ **Date:** \_\_\_\_\_  
 Dealer Signature

Due to on-going product improvements and the changing requirements of the ambulance industry, MEDIX Specialty Vehicles, Inc. reserves the right to change product specifications and related products without prior notice and without any obligation to change prior products or parts. ALL PATENTS RIGHTS RESERVED.