

Ambu® Cardiology Sensors

Leading innovator of ECG electrodes providing a unique offering of superior quality and cost effective solutions





WhiteSensor

The versatile and reliable range of Ambu electrodes

Functionality you can trust

Responding to the growing demands of standard solutions to cover a broader range of applications, WhiteSensor has been developed as a range of electrodes that unites versatility with the well-known Ambu quality and functionality. The wide range of sizes, shapes, gel types and backing materials makes it easy to choose the optimal device for every situation.

Covers all patients needs in monitoring

The WhiteSensor range is comprised of electrodes equipped with carefully selected features to match each individual situation, in total covering all patient needs in monitoring. We have chosen flexible and reliable materials and adhesives, able to follow skin movements without lifting off, to accommodate both patient comfort and signal quality.



The flexible and convenient packaging options will not only make selection straightforward. They also secure long shelf life and eliminate the risk of dry-out – guaranteeing that a fast, high quality signal is always right at hand.

Ambu is constantly working to improve user experience and convenience. We have added icons to the packaging for quick guidance and simple selection - making your everyday easier.

Gel Type



Wet



Solid


Backing Materials



Cloth



Foam



aterials Features



MR Conditional



Radiolucent

Benefits



Occlusive backing



Breathable backing

WhiteSensor Electrodes for ECG - Single use

	Item No.	Application	Patient	Gel type	Radio-	MR	Backing	Size	Shape	Shelf life	Connector	Pcs/	Packaging	PVC
			indication		lucent	Conditional*	material	(mm)		(mo.)	type	liner	(Pouch/box/carton)	free
6612	0215M	Resting	Pediatric	Solid	Yes	Yes	Polymer	34 X 13	Fish tail	24	Tab	10	100 / 500 / 5000	Yes
	0315M	Resting	Adult	Solid	Yes	Yes	Polymer	35 X 21	Fish tail	24	Tab	10	100 / 500 / 5000	Yes
	0415M	Resting	Adult	Solid	Yes	Yes	Polymer	34 X 23	Fish tail	24	Tab	10	100 / 500 / 5000	Yes
	0615M	Resting	Adult	Solid	Yes	Yes	Polymer	37 x 26	Functional	24	Tab	10	100 / 500 / 5000	Yes
	0715M	Resting	Adult	Solid	Yes	Yes	Polymer	34 x 26	Fish tail	24	Tab	10	100 / 500 / 5000	Yes
	4530M	Resting	Adult	Wet	Yes	Yes	Foam	32 X 45	Square	24	Fitting 3 mm	5	60 / 300 /2400	Yes
	4540M	Resting	Adult	Wet	Yes	Yes	Foam	32 X 45	Square	24	Fitting 4 mm	5	60 / 300 /2400	Yes
	WS	Short-Term	Adult	Solid	No	No	Foam	36 x 40	Teardrop	30	Center snap	1,3,4,5	3, 4, 5, 10, 30, 50/ 600/ 3600, 7200	Yes
	WS/RT	Short-Term	Adult	Solid	Yes	Yes	Foam	36 x 40	Teardrop	24	Center snap	1	50 / 600 / 7200	Yes
	4500M	Short-Term	Adult	Wet	Yes	Yes	Foam	50	Teardrop	24	Center snap	3	30/300/3000	Yes
	4500M-H	Short-Term	Adult	Wet	No	No	Foam	50	Teardrop	24	Center snap	3	60 / 300 / 3000	Yes
P	4535M	Short-Term	Adult	Wet	No	No	Foam	32 X 44	Square	24	Center snap	3	60 / 300 / 3000	Yes
•	4831Q	Short-Term	Adult/ pediatric	Solid	No	No	Foam	37 X 37	Leaf	24	Center snap	3	60 / 600 / 7200	Yes
	4841P	Short-Term	Adult	Solid	Yes	Yes	Foam	42 X 42	Leaf	24	Center snap	3	60 / 600 / 7200	Yes
•	7841P	Short-Term	Adult	Solid	Yes	Yes	Polymer	42 X 42	Leaf	24	Center snap	3	60 / 600 / 7200	Yes
	4570M	Short-Term	Pediatric	Wet	Yes	Yes	Foam	38 x 60	Ergonomic	24	Center snap	3	30/300/3000	Yes
	CMM	Long-Term	Adult	Solid	No	No	Cloth	50	Round	36	Center snap	1	30 / 1500 / 6000	Yes
	4440M	Long-Term	Adult	Wet	Yes	Yes	Cloth	55	Round	24	Center snap	1	30 / 300 / 3000	No
•	40713	Long-Term	Pediatric	Solid	Yes	Yes	Cloth	19 x 38	Rectangle	24	Center snap	3	3/300/3000	Yes
	4560M	Stress Test	Adult	Wet	No	No	Foam	38 x 60	Ergonomic	24	Center snap	3	60 / 300 / 3000	Yes
	40554	Neonatal	Neonates	Solid	Yes	No	Cloth	22 X 22	Square	24	Wired w/ 1,5 mm connector	3	3/300/3000	No
	40556	Neonatal	Neonates	Solid	Yes	No	Cloth	22 X 22	Square	24	Wired w/ 4 mm connector	3	3/300/3000	No

WhiteSensor electrodes are not made with natural rubber latex.

^{*}Static magnetic field of 1.5 Tesla and 3 Tesla only. Maximum spatial gradient field of 25.000 Gauss/cm or 250 Tesla/m. Maximum whole body averaged specific absorption rate (SAR) of 2 W/kg for 15 minutes of scanning.

Resting ECG

Ambu offers a complete range of electrodes for 12-lead ECG Resting diagnostic procedures, to meet all patient needs.

Benefits:

- Reliable recordings
- Secure adhesion
- User and patient comfort
- Variety of sizes, shapes and connection types, to meet all specific requirements
- Radiolucent and MR Conditional

WhiteSensor 4540M



4 mm fitting connector

WhiteSensor 4530M



3 mm fitting connector

Features and Benefits:

- Highly conductive wet gel immediate reliable
- Comfortable foam backing resistant to fluids
- 3 or 4 mm fitting connector direct connection to cable, without adapters
- Radiolucent and MR Conditional can remain on the patient during X-ray and MRI procedures
- Tab for placement and removal ensures ease of use
- Convenient presentation of 5 pieces/strip for fast application









Size: 32 x 45 mm PVC free (in contact with skin) 24 months shelf life

Quantity per inner/outer box 300/2400 4530M 300/2400

WhiteSensor o615M



Centre tab and functional shape Size: 26 x 37 mm

Features and Benefits:

- Centre tab connection and functional shape for superior adhesion
- Skin friendly conductive adhesive ensures reliable recordings
- Medium size can be used on most patients
- Radiolucent and MR Conditional can remain on the patient during X-ray and MRI procedures
- Tab for placement and removal ensures ease of use
- Convenient presentation of 10 pieces/strip for fast application

WhiteSensor 0215M



Very small size: 13 x 34 mm

WhiteSensor 0315M



Small size: 21 x 35 mm

- Skin friendly conductive adhesive ensures reliable recordings
- Fish tail tab design reduces electrode lift-offs for secure adhesion
- Radiolucent and MR Conditional can remain on the patient during X-ray and MRI procedures
- Various sizes to meet specific patient needs
- Convenient presentation of 10 pieces/strip for fast application

WhiteSensor 0415M



Medium size: 23 x 34 mm



WhiteSensor 0715M



Large size: 26 x 34 mm

24 months shelf life PVC free











Quantity/pouch	100
	Quantity per inner/outer box
0615M	500/5000
0215M	500/5000
0315M	500/5000
0415M	500/5000
0715M	500/5000

Short-Term Monitoring

Ambu offers a complete range of electrodes for ECG monitoring procedures, to meet all hospital needs.

Benefits:

- Reliable recordings
- Secure adhesion
- User and patient comfort
- Variety of gel types, sizes and shapes, to meet all specific requirements



WhiteSensor 4831Q



Features and Benefits:

- Solid gel ensures reliable recordings
- Comfortable foam backing is easy to use
- Ergonomic leaf shape is comfortable for patients
- Small size can be used on adults and children
- Convenient presentation of 3 pieces/strip for fast application





Size: 37 x 37 mm PVC free 24 months shelf life

uantity/pouch	60
	Quantity per inner/outer box
8 ₃₁ Q	600/7200

WhiteSensor 4841P



Comfortable foam backing

Features and Benefits:

- Solid gel ensures reliable recordings
- Ergonomic leaf shape is comfortable for patients
- Convenient presentation of 3 pieces/strip for fast application
- Radiolucent and MR Conditional can remain on the patient during X-ray and MRI procedures









WhiteSensor 7841P



Cleartape perforated backing – allows skin ventilation and visibility

Bio-Tack™ solid gel - ensures reliable recordings

Size: 42 x 42 mm PVC free 24 months shelf life









Quantity/pouch	60
	Quantity per inner/outer box
4841P	600/7200
7841P	600/7200

WhiteSensor WS



Size: 36 x 40 mm 30 months shelf life PVC free

Features and Benefits:

- Highly conductive solid gel ensures reliable recordings
- Ergonomic teardrop shape fits most patients
- Strong and secure adhesion prevents false alarms
- Comfortable foam backing is easy to use
- Available in various packaging configurations





WhiteSensor WS/RT



Radiolucent and MR Conditional

-can remain on the patient during X-ray and MRI procedures Size: 36 x 40 mm 24 months shelf life PVC free

WS-00-S/RT/50









Reference number	Units/card	Units/pouch	Units/inner box	Units/outer box
WS-00-S/50	1	50	600	7200
WS-00-S/L5/50	5	50	600	7200
WS-00-S/3	3	3	600	3600
WS-00-S/4	4	4	600	3600
WS-00-S/5	5	5	600	3600
WS-00-S/10	5	10	600	3600
WS-00-S/30	1	30	600	7200

WhiteSensor 4500M



- Radiolucent and MR Conditional

- can remain on the patient during X-ray and MRI procedures
 - Size: 50 mm diameter

Features and Benefits:

- Highly conductive wet gel ensures reliable traces
- Good and secure adhesion prevents false alarms
- Comfortable foam backing is easy to use
- Convenient presentation of 3 pieces/strip for fast application











WhiteSensor 4500M-H



Size: 50 mm diameter



WhiteSensor 4535M



Size: 32 x 44 mm

24 months shelf life PVC free

Quantity/pouch	30
	Quantity per inner/outer box
4500M	300/3000

Quantity/pouch	60
	Quantity per inner/outer box
4500M-H	300/3000
4535M	300/3000



WhiteSensor 4440M

Features and Benefits:

- Highly conductive wet gel ensures reliable recordings
- Strong and secure adhesion prevents false alarms
- Breathable soft cloth backing prevents skin reactions
- Radiolucent and MR Conditional can remain on the patient during X-ray and MRI procedures











Size: 55 mm diameter 24 months shelf life

Quantity/pouch	30		
	Quantity per inner/outer box		
4440M	300/3000		

WhiteSensor CMM



Features and Benefits:

- Highly conductive solid gel ensures reliable recordings
- Strong and secure adhesion prevents false alarms
- Soft cloth backing material allows the skin to breathe







Quantity/pouch	30
	Quantity per inner/outer box
CMM-oo-S	1500/6000

Size: 50 mm diameter PVC free 36 months shelf life

Stress Test

WhiteSensor 4560M

Features and Benefits:

- Highly conductive wet gel ensures reliable recordings
- Strong and secure adhesion throughout the procedure
- Comfortable foam backing is easy to place and remove
- Ergonomic shape is comfortable for patients and users
- Convenient presentation of 3 pieces/strip for fast application





Quantity/pouch	60
	Quantity per inner/outer box
4560M	300/3000

Size: 38 x 60 mm PVC free 24 months shelf life



WhiteSensor 40713

Features and Benefits:

- Conductive adhesive gel for gentle contact
- Breathable soft cloth backing allows skin ventilation
- Small size ideal for paediatric patients
- Radiolucent and MR Conditional can remain on the patient during X-ray and MRI procedures
- Convenient presentation of 3 pieces/strip for fast application









Quantity/pouch	3
	Quantity per inner/outer box
40713	300/3000





WhiteSensor 4570M



Features and Benefits:

- Highly conductive wet gel ensures reliable recordings
- Comfortable foam backing is easy to place and remove
- Ergonomic shape is comfortable for patients and users
- Radiolucent and MR Conditional can remain on the patient during X-ray and MRI procedures
- Convenient presentation of 3 pieces/strip for fast application









Size: 38 x 60 mm PVC free 24 months shelf life

Quantity per inner/outer box 300/3000

Neonatal

WhiteSensor 40554



Prewired with 1,5 mm connector

WhiteSensor 40556



Prewired with 4 mm connector

Lead wire length: 60 cm, colour coded

Features and Benefits:

- Skin-friendly solid gel ensures gentle contact
- Breathable soft cloth backing allows skin ventilation
- Small size ideal for neonatal patients
- Radiolucent can remain on the patient during X-ray procedures
- Convenient presentation of 3 pieces/strip for fast application







Quantity/pouch	3
	Quantity per inner/outer box
40554	300/3000
40556	300/3000

Accessories

Snap Clip



Clip connector for tab electrodes Ref: 0334M

Features and Benefits:

Features and Benefits:

- Connects 3 mm pin cables to tab electrodes
- Ensures secure connection
- Easy to use

PVC free Reusable

Size: 19 x 28 mm

PVC free

Packaging (pcs per pouch/carton): 10/1000

Skin Prep




Ref: 2121M

• Allows skin preparation before electrode placement

- Abrasive to reduce skin impedance
- · Adhesive on one side, to use with one finger
- Small size fits finger tip

Packaging (pcs per pouch/inner box/carton): 500/1500/15000



Size: 22 x 22 mm

24 months shelf life





Ambu A/S
Baltorpbakken 13
DK - 2750 Ballerup
Denmark
Tel. +45 7225 2000
Fax +45 7225 2053
www.ambu.com