

(1) ADJUSTABLE SHELF

SLÍDING ACRYLIC CABINET DOORS

#2 DOOR OPENING: 13.00h x 31.50w INSIDE DIMS: 14.75h x 33.25w x 19.50d (1) ADJUSTABLE SHELF

SLÍDING ACRYLIC CABINET DOORS

#1A & #2A ANGLED-FACE CABINETS WITH LIFT-UP DOORS LOCKING STAINLESS STEEL FLUSH PULL LATCHES OPENING DIMS: 13.75h x 12.00w EACH DOOR TO BE DRY-ERASE BOARD WITH HOLD-OPEN #3 DOOR OPENING: 26.50h x 27.25w

INSIDE DIMS: 0.S.S. #3

RECESSED .375" ACRYLIC DOORS WITH FULL LENGTH HANDLES LOCKING STAINLESS STEEL FLUSH PULL LATCHES

#4 = TWO DRAWERS THAT PULL-OUT TOWARD CPR SEAT INSIDE DIMS: 3.00h x 9.75w x 13.00d

LOCKING STAINLESS STEEL FLUSH PULL LATCHES

#5 PULL-OUT DRAWER WITH HINGED ACRYLIC WRITING SURFACE INSIDE DIMS: 4.50h x 14.50w x 13.25d LOCKING STAINLESS STEEL FLUSH PULL LATCH

CABINETS TO BE ALUMINUM

CABINET SHELF TRACK TO BE RECESSED

MINIMIZE EXPOSED FASTENERS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2014 STREETSIDE INTERIOR VIEW SUPFR CHIFF-I

DATE: 08 APR 13 GLF

DRAWING NO.

14SCF650-5



#1 DOOR OPENING: 48.00h x 7.25w INSIDE DIMS: 50.00h x 11.50w x 7.50d RECESSED .375" ACRYLIC DOOR

(1) LOCKING STAINLESS STEEL FLUSH PULL LATCH

(4) ADJUSTABLE SHELVES

#2 INSIDE DIM'S: 14.25h x 72.00w x 21.00d

CABINETS TO BE ALUMINUM

CABINET SHELF TRACK TO BE RECESSED

MINIMIZE EXPOSED FASTENERS


THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2014 CURBSIDE INTERIOR VIEW SUPER CHIEF-I

DATE: 08 APR 13


DWG. REV. 14SCF650-6





THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.





= (2) RECESSED CEILING IV HANGER LOCATIONS

* (2) ANTENNA BASES LOCATED OUTBOARD OF DOME LIGHTS WITH COAX SERVICE LOOP

STRYKER CENTER MOUNT COT HARDWARE

MODULE WIDTH = 96"

MODULE LENGTH = 170"

MODULE HEAD ROOM = 73.5"

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2014 FLOOR INTERIOR VIEW SUPER CHIEF-I

DATE:

08 APR 13

DWG. REV.

1:23 GLF NR

14SCF650-9

DRAWING NO.