



BRACKET PRO SERIE® 76 PX SMT

MOUNTING SYSTEM THAT SECURES THE PHILIPS TEMPUS® PRO MONITOR WITH SMART MOUNT

SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

The Bracket Pro Serie 76 PX SMT is designed to secure the Philips Tempus Pro monitor with its Smart Mount and optional accessory bags. Intended for ground EMS transport, the bracket keeps the medical device lightweight and portable.

The Bracket Pro Serie 76 PX SMT is tested in compliance with SAE J3043, the highest industry safety standards for Emergency Medical transport.









At Technimount EMS, we understand that EMS and critical care transport teams require solutions they can rely on. We design and develop quality mounting systems that are safe and flexible, allowing you to concentrate on what matters most-patient care.

Hospital Ambulance Stretcher

Militarv

BRACKET PRO SERIE® 76 PX SMT POTENTIAL CONFIGURATIONS



TECHNICAL SPECIFICATIONS

Product Name	Bracket Pro Serie® 76 PX SMT
Product Description	Single disc mounting system designed to secure the Philips Tempus Pro monitor with its Smart Mount on surfaces, stretchers and floors in emergency vehicles.
Compatibility of Medical Device*	Philips Tempus monitor with its Smart Mount
Environment of Usage	EMS/CCT (ground) – hospital/clinic, military
Product Section Material	 50W steel Aluminum 6061-T6 with 304 stainless Steel inserts
Product Finish	Black powder coat paintStandard bottom disc: silver anodized finish
Environmental Regulations	RoHS 3 compliant
Temperature of Usage	- 31° F to 113° F (- 35° C to 45° C)
Certification	Tested in compliance with: • SAE J3043 (26G)
Installation	Fasteners tightened into the Smart Mount's rear hold the device in place.
Attachment Options	Standard bottom disc
Transportation Compatibility System	Compatible with Technimount's: • Standard Surface Base • Safety Arm System for stretchers • Wall Mount Pro • Floor Mount system
Features	 Secures medical device's Smart Mount Robust mounting solution for EMS/CCT Access to all connectors and accessories Multiple configuration options for transport with its accessory bags
Physical Overall Dimensions (L x D x H)	6.5 in x 7.26 in x 4.75 in (15.24 cm x 17.78 cm x 10.16 cm)
Weight	3.06 lbs (1.36 kg)
Part Number	320-11-PRO-PAX-SMT - Bracket Pro Serie® 76 PX SMT 100-20-UN - Standard Surface Base
Other Models and Configuration Options	Contact Technimount EMS for more information or for other options at <u>customerservice@technimount.com</u>

* Product and medical equipment manufacturer names are Trademarks[™] or Registered Trademarks[®] of their respective holders. Technimount does not have a commercial relationship with these medical equipment manufacturers.

YOUR SAFETY IS OUR PRIORITY



FEATURES

- Designed to secure the Philips Tempus Pro monitor with Smart Mount and optional accessory bags.
- The bracket easily attaches to the Smart Mount, allowing for immediate medical device insertion and removal.
- Compatibility with Technimount's stretcher, wall, floor and surface mounting systems.
- Standard bottom disc for 360° rotation when installed in Technimount's Standard Surface Base.
- Integrated front handle allows for enhanced maneuverability.
- Tested in compliance with SAE J3043, the highest industry safety standards for the transport of medical devices.

BENEFITS

- Extending the device's portability to a variety of applications.
- Enables simple device installation and removal of the medical device on the Smart Mount.
- Sturdy material that can withstand tough EMS environments.
- Allows access to the medical device from all angles when used with Technimount's Standard Surface Base.
- Easy removal from the Standard Surface Base with the front handle.
- Ensures patient and personnel safety during critical care transport and reduces the risk of equipment damage.



SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

Bracket Pro Serie and Technimount EMS are Registered Trademarks of Technimount System. Philips $^{\circ}$ and Tempus are Trademarks of Koninklijke Philips N.V.



www.penncare.net sales@penncare.net 1-800-392-7233