



TECHNIMOUNT
EMS™

BRACKET PRO SERIE® 60-SD

MOUNTING SYSTEM FOR THE HAMILTON-T1 VENTILATOR



BRACKET PRO SERIE® 60-SD


POTENTIAL CONFIGURATIONS



Standard Surface Base



Safety Arm System



Air Ambulance Floor Mount

TECHNICAL SPECIFICATIONS

Product Name	Bracket Pro Serie® 60-SD
Product Description	Single disc bracket mounting system to secure the Hamilton-T1 ventilator on surfaces and cots/stretchers in emergency vehicles
Compatibility of Medical Device*	Hamilton-T1 Ventilator from Hamilton Medical
Environment of Usage	EMS/CCT (Ground & Flight) – Hospital/Clinic, Military
Product Section Material	<ul style="list-style-type: none">• Main Assembly: Aluminum 6061-T6• Standard Bottom Disc: Aluminum 6061-T6 with 304 Stainless Steel Insert
Product Finish	<ul style="list-style-type: none">• Main Assembly: Silver-Anodized Finish• Standard Bottom Disc: Silver-Anodized Finish
Environmental Regulations	Complying with RoHS 3
Temperature of Usage	- 35° C to 45° C
Certification	Tested in Compliance with: <ul style="list-style-type: none">• SAE J3043 (26 G)• FAA-FAR-DOT 27.561 & DOT 27.562 (Flight) Designed to Comply with: <ul style="list-style-type: none">• EN 1789 (10 G)
Installation	Device Retained on Main Assembly with 2 upper arms with Red Quick Release Mechanisms and lateral blockers
Attachment Options	Standard Bottom Disc
Transportation Compatibility System	Compatible with Technimount's: <ul style="list-style-type: none">• Standard Surface Base• Safety Arm System For Stryker Cots (PowerPro – XT and Mx-Pro)• Floor Mount (Flight)
Features	<ul style="list-style-type: none">• Robust Mounting Solution for EMS/CCT/ALS Transport• No Screw or Attachment into the Housing of the Medical Device• Access to all Connectors and Accessories• Flight and Ground Compatibility• Multiple Configuration Options for Transport
Physical Overall Dimensions	Width 11.5 in, Depth 10.2 in, Height 11.5 in
Weight	5.8 lb
Part Number	<ul style="list-style-type: none">• 700-12-HMSD – Bracket Pro Serie® 60-SD• 100-20-UN – Standard Surface Base
Others Models and Configuration Options	Contact Technimount EMS for more information or for other options at customerservice@technimount.com

* Product and medical equipment manufacturers names are trademarks™ or registered trademarks® of their respective holders. Technimount does not have a commercial relationship with these medical equipment manufacturers.

YOUR SAFETY IS OUR PRIORITY



FEATURES

- ✓ Bracket respects access to medical device components and features
- ✓ Dual locking system with Red Quick Release Mechanisms to easily install and remove the device from the bracket
- ✓ Standard Bottom Disc compatible with Technimount's Standard Surface Base, Safety Arm System and Floor Mount
- ✓ No screw or attachment into the housing of the medical device
- ✓ Made from high-density aluminum with silver-anodized finish
- ✓ Tested in compliance with SAE J3043

BENEFITS

- + Flexible for use in different applications (surface, cot/stretcher and floor systems) as well as other EMS and military environments
- + No interference with medical device components, connectors and wires
- + Easily install and remove the medical device from the mounting system
- + Access to medical device from all angles (360° rotation on Technimount's Standard Surface Base)
- + Resistant to biological fluids and Quaternary-type disinfectants for easy cleaning
- + Reduces risks of damage to the equipment and ensures the safety of patients and crew during EMS and Critical Care Transport



SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

Bracket Pro Serie, Technimount EMS are Registered Trademarks of Technologies CGC Inc.
Hamilton-T1 is a Trademark of Hamilton Medical



www.penncare.net
sales@penncare.net
1-800-392-7233